

Exam Number/Code:0B0-101

Exam Name:BEA8.1 Certified
Developer:Build Solutions

Version: Demo

<http://cert24.com/>

QUESTION 1:

To manipulate XML-defined data in an application, which tool is directly supported by Workshop?

- A. JAX-B
- B. Castor
- C. XMLBeans
- D. None of these
- E. DOM/SAX-based parsing

Answer: C

QUESTION 12:

If you begin implementing a page flow using a data-centric approach, the first step, typically, is to:

- A. Create an input page
- B. Implement a data handler
- C. Create a calling action method
- D. Create an action method that uses a FormBean
- E. Create an action method that follow the events that an actual user would use

Answer: D

QUESTION 3:

In WebLogic Workshop, a JSP:

- A. Can be used as a control
- B. Can be created within an EJB project
- C. Is the syntactical format used in a Java Web service file
- D. It is used the controller in the WebLogic Workshop framework
- E. Can invoke an action directly through the netui:anchor tag

Answer: E

QUESTION 4:

Which item is NOT included in the scope of a transactional context?

- A. Method calls to a file control
- B. Method calls to a JMS control
- C. Method calls to a Database control

- D. To start and finish methods of a conversation
- E. Changes to the state of an ongoing conversation

Answer: A

QUESTION 5:

Web application contains a logout servlet. The servlet should call which method? (Assume that out is the output stream to the browser and session is the HttpSession.)

- A. out.clear ()
- B. out.flush ()
- C. session.flush ()
- D. session.clear ()
- E. session.invalidate()

Answer: E

QUESTION 6:

You have been asked to define users and group for use with a Portal Application. You know that you can define them in the WebLogic Portal Administration Console. Where else can you define them?

- A. In the Datasync project
- B. In the userprofiles file
- C. In the deployment descriptions
- D. In the WebLogic Administration Console
- E. In the Security Role tab, in WebLogic Workshop

Answer: D

QUESTION 7:

Consider the following code fragment:

```
/**
 *@jws:wSDL file="#worldpProxyWsdI"
 */
public interface worldProxy extends ServiceControl
{
...
}
/** xxxxxx name="worldpProxyWsdI" value::
 *<xml version="1.0" encoding="utf-8"?>
```

```
*<definitions xmlns:s=http://www.w3.org/2001/XMLSchema>  
* ...< remainder of contents of WSDL file> ...  
* </definitions>  
* ::  
*/
```

You plan to incorporate a WSDL definition in your source file. If the definition is in-line, as shown, which annotation would replace the string xxxxx?

- A. @common:xmlns
- B. @common:define
- C. @common:schema
- D. @common:operation

Answer: B

QUESTION 8:

To auto-deploy an application during the development phase, you must:

- A. Start the server in Production mode and upload your application through the Administration Console.
- B. Start the server in Auto-deploy mode and upload your application through the Administration Console.
- C. Ensure that your application is in the applications directory and start the server in Production mode.
- D. Ensure that your application is in the applications directory and start the server in Auto-deploy mode.
- E. Ensure that your application is in the applications directory and start the server in Development

Answer: E

QUESTION 9:

Which class provides the capability to create subsystem log streams and filter the output in the WebLogic Server log, using customized views through the administrative interface?

- A. weblogic.logging.Log4j
- B. weblogic.logging.LogStream
- C. weblogic.logging.subsystemLogger
- D. weblogic.logging.clearForLogging
- E. weblogic.logging.NonCatalogger

Answer: E

QUESTION 10:

Even if the methods on the interface of java control do not declare an exception to be thrown, the support code could throw which run-time exception?

- A. java.rmi.RemoteException
- B. javax.j2e.systemException
- C. javax.j2e.RuntimeException
- D. com.bea.control.systemException
- E. com.bea.control.ControlException

Answer: E