

Exam Number/Code:0B0-104

Exam Name:BEA8.1 Certified
Adminsitrator: System Administration

Version: Demo

<http://cert24.com/>

QUESTION 1:

The defaultWebLogicAuthentication provider mandates which feature(s)?

- A. Minimum password length
- B. Mandatory password expiration
- C. Mandatory special characters in passwords
- D. A and C
- E. B and C

Answer: A

QUESTION 2:

AWebLogicserver Web tier cluster has four managedWebLogicservers with a Web application deployed in expanded from (not in a WAR file) that contains frequently-modified resources, such asJSPsand HTML pages.

Given the same conditions, except with the Managed Servers NOT on the same physical machine and NOT having access to the expanded Web application files, how should the Web application be deployed?

- A. Deploy the application to the cluster; set the stage mode to stage.
- B. Deploy the application to the cluster; set the stage mode to nostage.
- C. Deploy the application to the cluster; set the stage mode to external stage, then manually copy the Web application to each Managed Server's stage directory.
- D. The application cannot be deployed unless each Managed Server has a shared file system that contains the Web application files.
- E. A or C

Answer: C

QUESTION 3:

What happens to a JMS message that times out in a Queue?

- A. The message is immediately delivered to the consumer.
- B. The message is immediately returned to the producer.
- C. The message is handled according to the expiration policy that is defined for the Queue.
- D. The message is sent to a distributed destination.
- E. The message is persisted to a JMS store.

Answer: C

QUESTION 4:

Consider a WebLogic Domain that consists of an Administration Server and four clustered Managed Servers. Each server is running on its own hardware using JVM 1.4.1. The Managed Servers are running on dedicated dual-CPU servers.

Management is concerned that the Administration Server in your domain is a single point of failure. How do you answer this concern?

- A. Create a separate Administration cluster.
- B. Enable Managed Server Independence mode.
- C. Deploy the Administration application into the cluster.
- D. Use NodeManager to enable Restart.
- E. Turn on Administration Server Replication.

Answer: B

QUESTION 5:

Which of the following is a valid WebLogic server error number?

- A. ERROR-000351
- B. SERVER-ERROR-000351
- C. WKS-000351
- D. BEA-000351
- E. CRITICAL-000351

Answer: D

QUESTION 6:

What advantages are realized by configuring Machines for Managed Servers in a WebLogic domain?

- A. Machines help configure HttpSession failover.
- B. Machines are required by NodeManager.
- C. Machines simplify application deployments.
- D. A and B
- E. A and C

Answer: D

QUESTION 7:

A Performance Pack can provide a significant improvement in WebLogic performance. What does a Performance Pack do?

- A. It enables processor hyper-threading.
- B. It locks RAM to prevent paging.
- C. It enables native I/O.
- D. It uses prioritized Execution Queues.
- E. It allows WebLogic to allocate RAM dynamically.

Answer: C

QUESTION 8:

To allow Managed Servers to restart automatically after failure, which of the following is required?

- A. SNMP Restart must be enabled in the Administration Server
- B. NodeManager must be configured to auto restart failed servers
- C. The managed server must be started with `WebLogic.autoRestart=true`.
- D. Both A and B
- E. Both A and C

Answer: B

QUESTION 9:

Consider a WebLogic Domain with an (external) LDAP Authentication Provider and multiple Authorization Providers. The Default WebLogic Auditing Provider is enabled. How can you add new users to the system?

- A. Through the WebLogic Administration Console
- B. Through the LDAP server console
- C. Directly, by editing the `config.xml` file
- D. B and C
- E. A and B

Answer: E

QUESTION 10:

If an Administration Server is running on Port 80 and is exposed to the WAN, how can you prevent users from trying to access the WebLogic Console?

- A. Enable the Administration port.
- B. Turn off the WebLogic Console.
- C. Turn off HTTP tunneling.

- D. Boot the server in Production mode.
- E. Configure Secure Sockets Layer (SSL).

Answer: A