

**Exam Number/Code:**4A0-100

**Exam Name:**Alcatel-Lucent Scalable IP  
Networks

**Version:** Demo

**<http://cert24.com/>**

QUESTION NO: 1

You are configuring your Alcatel-Lucent 7750SR Service Router from the Command Line Interface (CLI), and after entering a lengthy command, wish to return directly to the ROOT context. Which control command allows you to do this quickly?

- A. Ctrl-z
- B. Ctrl-c
- C. Esc
- D. Shift-Page Down

Answer: A

QUESTION NO: 2

Which of the following best describes a repeater?

- A. A passive device simply used to connect two or more cables. Does not generate or amplify any signals.
- B. A device that receives and retransmits a signal out its ports, but does not do any Layer 2 analysis of the data.
- C. A device that receives a signal and based on the Layer 2 destination address, makes a decision on which ports the signal should be retransmitted.
- D. A device that receives a signal and based on the Layer 3 destination address, makes a decision on which ports the signal should be retransmitted.

Answer: B

QUESTION NO: 3

How do protocols such as ATM and Frame-Relay support differentiating multiple customers or traffic types on the same physical wire?

- A. ATM and Frame-Relay are circuit switched protocols and use Virtual Circuits to create logical separation of traffic.
- B. ATM and Frame-Relay are point-to-point protocols and do not support different customers or traffic type on the same physical wire.
- C. ATM and Frame-Relay are circuit switched protocols and use VLAN's to create logical separation of traffic.
- D. ATM and Frame-Relay are circuit switched protocols and use IP Header information to create logical separation of traffic.

Answer: A

QUESTION NO: 4

Which of the following is a feature of Layer 3?

- A. Provides an universal addressing scheme
- B. Ensures data is delivered across the Layer 2 network.
- C. Provides reliable data transfers.
- D. Provides a physical interface to the network.

Answer: A

QUESTION NO: 5

The 201.148.26.0/24 network is subnetted using a /26 mask. How many subnets and host addresses will you obtain with this mask?

- A. 4 subnets, 64 hosts
- B. 64 subnets, 4 hosts
- C. 4 subnets, 62 hosts
- D. 64 subnets, 2 hosts
- E. 6 subnets, 30 hosts

Answer: C

QUESTION NO: 6

What kind of information can a Dynamic Host Configuration Protocol (DHCP) client receive?

- A. Details of the configuration settings of each router on the network.
- B. A list of other DHCP clients.
- C. IP addresses and their lease times.
- D. Server time information

Answer: C

QUESTION NO: 7

Choose two true statements that characterize Link State Routing

- A. Routers send a copy of their routing table to their neighbors periodically.
- B. Routers flood link information throughout the entire area.
- C. Network converges quickly (within several seconds) after a topology change.
- D. Routers do not have precise knowledge of the entire network topology.

Answer: A,C

QUESTION NO: 8

Which statement accurately explains the purpose of the TCP protocol and what it provides?

- A. The primary purpose of TCP is to provide reliable communications between application services.
- B. The primary purpose of TCP is to provide unreliable communications between application services
- C. The primary purpose of TCP is to provide IP routing between application services.
- D. The primary purpose of TCP is to define the correct format for the application layer such as JPEG or HTML.

Answer: A

QUESTION NO: 9

which of the following is the best description of well known ports?

- A. Well known ports apply to routers only and are used for communication and control traffic. Well known port numbers are assigned by IANA and can have any value.
- B. Well known ports are used by TCP and UDP. Well known port numbers range from 1024 to 65535 and are assigned by IANA.
- C. Well known port numbers are used by both TCP and UDP. Well known port numbers range from 1 to 1023 and are assigned by IANA.
- D. Well known ports numbers are used by TCP only. Well known port numbers are assigned by IANA and can have any value.

Answer: C

QUESTION NO: 10

Which organization first considered cross-platform networking support to be a necessity?

- A. IBM.
- B. US Military.
- C. Alcatel-Lucent.
- D. NASA.
- E. Bell Labs

Answer: B