

Exam Number/Code:700-280

Exam Name: Email Security for Field Engineers

Version: Demo

QUESTION: 1

By default, how do Outbreak filters avoid quarantining false positives?

- A. False positives do not occur as the Anti-Virus engine will check the signature against the incoming mail. Only positive matches against the signature are quarantined for checking later on.
- B. False positives are released as updates provide a better description of suspected attachment.
- C. Positive matches are not quarantined. They are dropped.
- D. All false positives must be quarantined until a Virus signature is received so that they can be checked.

Answer: B

QUESTION: 2

Which of the following two RAT entries will accept mail for example.com and all of its sub-domains? (Choose two.)

- A. *@example.com
- B. .example.com
- C. example.com
- D. *@*.example.com

Answer: B,C

QUESTION: 3

A new C-160 has been delivered and needs to be configured. What subnet and C-Series interface does your laptop need to be configured on?

- A. Data1192.168.10.0/24
- B. Data 2192.168.10.0/24
- C. Data2192.168.42.0/24
- D. Data1192.168.42.0/24

Answer: D

QUESTION: 4

Which command is used to enable weighted filtering in an Email Security Appliance?

- A. policyconfig
- B. dictionaryconfig
- C. filters
- D. weightedconfig

Answer: B

QUESTION: 5

Which option describes when a DLP incident occurs?

- A. when potentially sensitive content appears in a message
- B. when one or more users receive classified information via email
- C. when a system administrator fails to enable the DLP feature key
- D. if a message contains a number that looks like a credit card number

Answer: A

QUESTION: 6

Which option correctly describes the encryption technologies that should be used with "TLS Preferred" Guaranteed Secure Delivery?

- A. Try to use TLS. If it fails, use envelope encryption.
- B. Try envelope encryption first. If it fails, use TLS.
- C. Always use envelope encryption.
- D. Always use TLS. If TLS fails, bounce the message.

Answer: A

QUESTION: 7

Add Condition

Message Body or Attachment

Message Body

Message Size

Attachment Content

Attachment File Info

Attachment Protection

Subject Header

Other Header

Envelope Sender

Envelope Recipient

Receiving Listener

Attachment File Info Help

Does the message contain an attachment of a filetype matching a specific filename or pattern based on its fingerprint (similar to a UNIX file command)? Does the declared MIME type of an attachment match, or does the IronPort Image Analysis engine find a suspect or inappropriate image?

☐ Filename: Contains *

☒ File type is: Is executable

☐ MIME type is: Is

Refer to the exhibit. Based on the Add Condition menu which of listed file attachments will be matched? (Choose two.)

- A. A .msi attachment that has had its file extension changed to .pdf
- B. A .pdf attachment that has had its file extension changed to .exe.
- C. A.pdf attachment
- D. A .exe attachment.

Answer: B,D

QUESTION: 8

While running the system setup wizard, what are the default settings for Senderbase Network Participation and Auto Support?

- A. SBNP: onAuto Support: on
- B. SBNP: onAuto Support: off
- C. SBNP: offAuto Support: off
- D. SBNP: offAuto Support: on

Answer: A

QUESTION: 9

At what point in the SMTP conversation can the SMTP client send message headers?

- A. Between RCPTTO and DATA
- B. Between HELO and MAIL FROM
- C. Between DATA and a period"." on a single line
- D. Between MAIL FROM and RCPTTO

Answer: C

QUESTION: 10

What is the best solution to prevent directory harvest attacks?

- A. Create an access list as a content dictionary and match this resource, with a content filter, against incoming emails.
- B. Specify all of the legitimate mailbox addresses in the RAT.
- C. Enable LDAP Accept.
- D. Create an access list as a content dictionary and match this resource, with a message filter, against incoming emails

Answer: C