

Exam Number/Code:C2040-915

Exam Name:IBM WebSphere Portal 7.0
Solution Development

Version: Demo

<http://cert24.com/>

QUESTION NO: 1

The IBM Lotus Connections portlets provide access to collaboration and social networking features from Lotus Connections, such as Activities and Blogs. Which portlets are available from the built-in Lotus Connections portlets package?

- A. Activities, Blogs, Bookmarks, Connections, Profiles
- B. Activities, Blogs, Bookmarks, Connections, Profiles, Ratings
- C. Activities, Blogs, Bookmarks, Tag cloud, Profiles
- D. Activities, Blogs, Bookmarks, Profiles, Ratings

Answer: C

QUESTION NO: 2

Aside from normal steps for deploying portlets to a page, what additional step, if any, is necessary to configure a portlet using the Struts MVC framework and a portlet using the JavaServer Faces framework to the same portal page?

- A. Server-side aggregation must be forced on a page
- B. Both portlets must comply with the JSR286 Portlet Specification
- C. No additional steps are required
- D. Framework JAR files must be added to WebSphere Application Server shared libraries

Answer: C

QUESTION NO: 3

A customer has requirements to remotely search user profiles based on attributes of the profile using web services. How can this task be accomplished in WebSphere Portal?

- A. By means of the remote portal search service
- B. By means of the remote PUMA SPI REST service
- C. By means of the remote virtual member manager service
- D. By means of the user repository APIs and wrap web services around API calls.

Answer: B

QUESTION NO: 4

Which option best describes how JSR 286-compliant portlets and widgets interact with each other?

- A. Portlets and widgets cannot interact with each other.
- B. Widgets and portlets can interact by using shared render parameters and events.

- C. Widgets and portlets can interact by using shared render parameters.
- D. widgets and portlets can interact by using events.

Answer: B

QUESTION NO: 5

John has developed a custom step-up handler. He has implemented the two methods `init()` and `establishAuthLevel()` of the `StepUpAuthHandler` interface. What is the outcome of the method `establishAuthLevel()` returning null?

- A. A null pointer exception is thrown.
- B. The browser is redirected to the portal login page.
- C. The browser displays the HTTP error 403 Forbidden.
- D. The authentication level is assumed to be successfully established.

Answer: D

QUESTION NO: 6

What best describes the portal model REST services that are now offered with WebSphere Portal V7.0?

- A. Portlet model, content model, navigational model
- B. Portlet model, content model, navigational model, wire model
- C. Portlet model, content model, navigational model, user profile
- D. Layout model, portlet model, content model, navigational model, wire model, user profile

Answer: D

QUESTION NO: 7

IBM Rational Application Developer provides an easy-to-use wizard for creating portlets. What options best describes the portlet types that you can use while creating JSR 286-compliant portlets?

- A. Basic, Empty, and Faces
- B. Basic, Faces, and IBM Struts Portlet Framework
- C. Basic, Faces, and Spring Portlet MVC Framework
- D. Faces, IBM Struts Portlet Framework, and Spring Portlet MVC Framework

Answer: A

QUESTION NO: 8

Which of the following statements is NOT a functionality provided by IBM Rational Application Developer?

- A. Wizards for creating portlets and portlet applications
- B. WebDav client for working with Page Builder 2 theme
- C. Ability to deploy portlets on a local WebSphere Portal server
- D. Ability to deploy portlets on a remote WebSphere Portal server

Answer: B

QUESTION NO: 9

Which of the following options is not a valid Java 5 annotation tag defined by the Java Portlet Specification?

- A. @ProcessEvent(qname=<event name>)
- B. @ServeResource(name=<resource name>)
- C. @RenderMode(name=<portlet mode name>)
- D. @ProcessAction(name=<action name>)

Answer: B

QUESTION NO: 10

Which variables are defined by the defineObjects tag when used on a JSP page included within the render method?

- A. portletRequest, portletResponse, portletConfig, portletSession, portletPreferences, portletPreferencesValues
- B. renderRequest, renderResponse, renderConfig, renderSession, renderPreferences
- C. renderRequest, renderResponse, portletConfig, portletSession, portletSessionScope, portletPreferences, portletPreferencesValues
- D. request, response, portletConfig, portletSession, portletPreferences

Answer: C