

Exam Number/Code:FM0-301

Exam Name:Filemaker 7 Developer
Essentials

Version: Demo

<http://cert24.com/>

QUESTION NO: 1

A user attempts to log in to a database hosted on FileMaker Server 7. It is set up to allow authentication via FileMaker and External Server accounts. The user is a member of two external groups that have been set up in the Edit Account dialog to be authenticated via an external server.

Assuming a valid username and password, with which matching account will the user authenticate?

- A. the first account created in the Account tab of the Define Accounts & Privileges dialog
- B. the account with the most restrictive access permissions
- C. the account with the least restrictive access permissions
- D. the first account listed in the Accounts tab of the Define Accounts & Privileges dialog when viewed by authentication order

Answer: D

QUESTION NO: 2

Which three actions can be performed from both the FileMaker Pro 7 client and a Web browser using Instant Web Publishing? (Choose three.)

- A. hide the Status Area
- B. edit value lists by using an edit item
- C. enter Preview mode
- D. create and edit portal records
- E. execute a script attached to a button on a layout

Answer: A,D,E

QUESTION NO: 3

Which two statements are true in FileMaker Pro 7? (Choose two.)

- A. It is possible to constrain and/or extend the found set as an option within the Perform Find script step.
- B. You can calculate find criteria in the Edit Find Request dialog of the Perform Find script step.
- C. It is possible to include multiple Perform Find script steps in a single script.
- D. It is possible to include multiple find (or omit) requests in a single Perform Find script step.

Answer: C,D

QUESTION NO: 4

Two windows in a FileMaker Pro 7 database are displaying the same found set of records, on the same layout, in Browse mode. What happens if a user begins editing a record in one window, then switches to the other window and attempts to edit the same record?

- A. They will be prevented from entering the record in the second window.
- B. They can make changes to the record in the second window, but if they try to submit the record they will see a dialog warning that the record cannot be modified because it is already being modified in a different window.
- C. When they start to type, they will see a dialog warning that the record cannot be modified because it is already being modified in a different window.
- D. Any changes made to the record in the first window will be undone (reverted).

Answer: C

QUESTION NO: 5

Given a FileMaker Pro 7 database with a found set of four Customer records, this script is run:

Set Field [Customer::gCounter; 1]

Go to Record/Request/Page [First]

Loop

Set Field [Customer::gCounter; Customer::gCounter + Get (FoundCount)]

Omit Record

Exit Loop If [(Customer::gCounter > 10) or (Get (FoundCount) = 0)]

End Loop

After the script stops running, which two statements are true? (Choose two.)

- A. There are no records in the found set.
- B. There is one record in the found set.
- C. The value of Customer::gCounter is 11.
- D. The value of Customer::gCounter is 8.
- E. The value of Customer::gCounter is 10.

Answer: A,C

QUESTION NO: 6

Which script step in FileMaker Pro 7 can produce an error that can be used to check if a record is locked?

- A. Go to Record/Request/Page
- B. Go to Field
- C. Open Record/Request

- D. New Record/Request
- E. Commit Records/Requests

Answer: C

QUESTION NO: 7

Databases hosted on FileMaker Server 7 are experiencing periods of intermittent slowness.

The FileMaker Server Administration tool shows an average Cache Hit % of 55. The Database Cache Reserve is currently set at 56 MB, and is set to Distribute cache flush over one minute. The server has 1 GB of RAM installed. Total size of all hosted FileMaker files is 75 MB.

What should be done to correct the problem?

- A. increase the database cache and decrease the amount of time for the cache flush
- B. decrease the database cache and decrease the amount of time for the cache flush
- C. decrease the database cache and increase the amount of time for the cache flush
- D. increase the database cache and increase the amount of time for the cache flush

Answer: D

QUESTION NO: 8

Consider two FileMaker Pro 7 files, Alpha and Beta, where a table from Beta appears as an externally referenced table occurrence on Alpha's Relationships Graph. Which three statements are true? (Choose three.)

- A. Layouts from Beta cannot be displayed in the same window as layouts from Alpha.
- B. Layouts in Alpha can display data from Beta.
- C. A table occurrence from Beta is required on Alpha's Relationships Graph in order to call a script in Beta from Alpha.
- D. It is impossible to lock records in both Alpha and Beta simultaneously.
- E. Alpha can contain multiple valid file references to Beta.

Answer: A,B,E

QUESTION NO: 9

Which three occur if the hard disk runs out of space during a 'Live' backup of files hosted on FileMaker Server 7? (Choose three.)

- A. The backup file is deleted.

- B. FileMaker Server 7 logs an error in the Application Log (Windows) or Event.log (Mac OS).
- C. The backup continues on another disk if one is available.
- D. The backup stops.
- E. The FileMaker Server 7 administrator is alerted.
- F. The backup file is retained.

Answer: A,B,D

QUESTION NO: 10

In FileMaker Pro 7 given a calculation field in the Items table named ItemPrice with the following formula:

Lookup (Products::Price)

Which statement is true?

- A. The value of theItemPrice field will be looked up whenever a field in the current table is modified.
- B. The value returned byItemPrice will change whenever a product's price is changed in the Products table.
- C. A user cannot manually edit the contents of theItemPrice field in Browse mode.
- D. TheItemPrice field cannot be indexed since it references a related field.

Answer: C