

**Exam Number/Code:**M70-101

**Exam Name:**Magento Certified  
Developer Exam

**Version:** Demo

**<http://cert24.com/>**

QUESTION NO: 1

For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied? (Choose two)

- A. The eav\_attribute table must contain a row defining the attribute's properties and its entity type.
- B. The attribute must have a backend model configured in the XML config.
- C. The attribute must be part of the attribute set pertaining to the object being loaded.
- D. There must be a record of the attribute on the catalog\_product\_super\_attribute table.
- E. There must be a column added to the catalog\_product\_entitytable.

Answer: A,C

QUESTION NO: 2

What class does an adminhtml grid directly extend?

- A. Mage\_Adminhtml\_Block\_Widget
- B. Varien\_Data\_Grid
- C. Varien\_Data\_Widget
- D. Mage\_Adminhtml\_Block\_Template

Answer: A

QUESTION NO: 3

You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00.

Which of the following statements would add that OR condition?

- A. `$collection->addAttributeToFilter(array(array('attribute' => 'price', 'eq' => 0.00), array('attribute' => 'name', 'like' => 'Test%')));`
- B. `$collection  
->addFieldToFilter('price', 0.00)  
->addFieldToFilter('name', array('like' => 'Test%'))  
);`
- C. `$collection  
->addAttributeToFilter('price', 0.00)  
->addAttributeToFilter('name', array('like' => 'Test%'))  
);`
- D. `$collection->addFieldToFilter(array('price', 'name'), array(array('eq' => 0.00), array('like' => 'Test%')));`
- E. `$collection  
->addAttributeToFilter('price', 0.00)  
->addOrCondition('name', array('like' => 'Test%'));`

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Answer: A

#### QUESTION NO: 4

Which three of the following conditions are used to protect an admin route via ACL?  
(Choose three)

- A. You have defined an ACL in your module configuration
- B. At least one admin role must have permission for that route
- C. You have extended the controller from `Mage_Adminhtml_Controller_Action`
- D. You have defined a method `_isAllowed` which checks the permission
- E. The route name must start with admin

Answer: A,C,D

QUESTION NO: 5

Which table is used for calculating a new increment ID for an order?

- A. sales\_flat\_order\_increment
- B. eav\_entity\_store
- C. core\_increment
- D. core\_config\_data

Answer: B

QUESTION NO: 6

Which one of the following API methods exists in Magento?

- A. catalog\_category.save
- B. catalog\_product.items
- C. catalog\_product\_attribute\_set.update
- D. catalog\_product.info

Answer: D

QUESTION NO: 7

Which one of the following classes must you extend in order to implement a custom indexer?

- A. Mage\_Eav\_Model\_Indexer\_Abstract
- B. Mage\_Core\_Model\_Indexer\_Abstract
- C. Mage\_Index\_Model\_Entity\_Indexer\_Abstract
- D. Mage\_Index\_Model\_Indexer\_Abstract

Answer: D

QUESTION NO: 8

Which two EAV attribute frontend\_input types make use of source models? (Choose two)

- A. text
- B. textarea
- C. select
- D. multiselect
- E. date
- F. gallery

Answer: C,D

QUESTION NO: 9

What is the difference in the effect of calling the invoice capture ( ) method versus the invoice pay ( ) method?

- A. No difference: pay ( ) will always call capture( ).
- B. pay( )will trigger the payment and capture( )will not.
- C. capture( )will trigger the payment and pay( )will not.
- D. The difference is determined by the payment method implementation.

Answer: C

QUESTION NO: 10

How is the sort order in which total models collect their values specified?

- A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".
- B. The sort order is specified in the system configuration under global/sales/quote/totals/ [total\_code] with <before> and <after> nodes.
- C. The sort order is defined by the module loading order as specified by the children of the modules/ [module\_name]/depends configuration node.
- D. The sort order is specified by the collect method in each total model.

Answer: A