Exam Number/Code:OG0-093

Exam Name: TOGAF 9 Combined Part 1 and Part 2

Version: Demo

www.cert24.com original question and answer

QUESTION NO: 1

Which of the following TOGAF components was created to enable architects to design architectures addressing Boundaryless Information Flow?

- A. The Architecture Repository
- B. The Enterprise Continuum
- C. The Integrated Information Infrastructure Model
- D. The TOGAF Technical Reference Model

Answer: C

QUESTION NO: 2

Which of the following best describes the TOGAF Technical Reference Model?

A. It is a detailed data model that can be tailored to specific industries

B. It is an example of a Common Systems Architecture

C. It is a fundamental architecture upon which more specific architectures can be based

D. It is a model of application components and application services software, including brokering applications

Answer: C

QUESTION NO: 3

Which one of the following statements about the structure of the TOGAF 9 document is true?

A. Part I, the Enterprise Continuum, describes a model for structuring a virtual repository

B. Part II, the Architecture Development Method, describes the definitions of terms used in TOGAF, and the changes between versions of TOGAF

C. Part III, Tools and Support, describes a collection of guidelines and techniques used in the other parts of TOGAF

D. Part VI, TOGAF Reference Models, includes a model for release management of the TOGAF specification

E. Part VII, the Architecture Capability Framework, describes processes and skills to establish an enterprise function

Answer: E

QUESTION NO: 4

Which phase of the ADM ensures that implementation projects conform to the defined architecture?

- A. Requirements Management
- B. Phase D
- C. Phase F

D. Phase G E. Phase H

Answer: D

QUESTION NO: 5						
Complete	the	sentence.	The	Requirements	Management	Phase

A. addresses and resolves requirements between ADM phases

- B. is a central process that prioritizes requirements for all ADM phases
- C. is used to dispose of resolved requirements for all ADM phases
- D. generates new requirements and passes them to all ADM phases
- E. stores requirements and manages their flow into relevant ADM phases

Answer: E

QUESTION NO: 6

Which one of the following is an objective of the Preliminary Phase of the ADM?

- A. To define the Baseline Architecture for this cycle of the ADM
- B. To define the application systems for the Target Architecture
- C. To define the framework and methodologies to be used
- D. To define the relevant stakeholders and their concerns
- E. To define and prioritise work packages

Answer: C

QUESTION NO: 7

According to TOGAF, when creating views for a particular architecture, what is the recommended first step?

- A. Design a viewpoint to address all stakeholder concerns
- B. Develop views for the target architecture first
- C. Ensure completeness of the architecture
- D. Refer to existing libraries of viewpoints, to identify one for re-use

Answer: D

QUESTION NO: 8

Which of the following architectures in the Architecture Continuum contains the most re-usable architecture elements?

A. Common Systems Architectures

www.cert24.com original question and answer

B. Foundation Architectures

C. Industry Architectures

D. Organization-Specific Architectures

Answer: B

QUESTION NO: 9

Which of the following describes the Architecture Vision document?

A. A description of individual change increments showing progression from the baseline to target architecture

B. A detailed schedule for implementation of the target architecture

C. A high level description of the baseline and target architectures

D. A joint agreement between the development team and sponsor on the deliverables and quality of an architecture

E. A set of rules and guidelines to support fulfilling the mission of the organization

Answer: C

QUESTION NO: 10

According to TOGAF, which of the following best describes how the Enterprise Continuum is used in organizing and developing an architecture?

A. It is used to coordinate with the other management frameworks in use

B. It is used to describe how an architecture addresses stakeholder concerns

C. It is used to identify and understand business requirements

D. It is used to provide a system for continuous monitoring

E. It is used to structure re-usable architecture and solution assets

Answer: E

QUESTION NO: 11

What document is sent from the sponsoring organization to the architecture organization to trigger the start of an ADM cycle?

A. Architecture Contract

- B. Architecture Definition Document
- C. Architecture Vision
- D. Request for Architecture Work
- E. Statement of Architecture Work

Answer: D

QUESTION NO: 12

According to TOGAF, which of the following best describes Architecture Governance? A. A categorization mechanism for architecture and solution artifacts

B. A framework for operational and change activity

C. A method for designing an information system in terms of a set of building blocks

D. The lifecycle management of information and related technology used by an organization

E. The practice by which enterprise architectures are controlled at an enterprise-wide level

Answer: E

QUESTION NO: 13

Which component within the Architecture Repository holds best practice or template materials that can be used to construct architectures?

- A. Architecture Capability
- B. Architecture Landscape
- C. Architecture Metamodel
- D. Governance Log
- E. Reference Library

Answer: E

QUESTION NO: 14

Complete the sentence. According to TOGAF, all the following are responsibilities of an Architecture Board, except

- A. Allocating resources for architecture projects
- B. Decision making for changes in the architecture
- C. Enforcing Architecture Compliance
- D. Improving the maturity of the organization's architecture discipline
- E. Production of governance materials

Answer: A

QUESTION NO: 15

According to TOGAF, which of the following best describes the purpose of a Compliance Assessment?

A. To ensure that architecture information is communicated to the right stakeholders at the right time

- B. To govern the architecture throughout its implementation process
- C. To provide a high-level view of the end architecture product

D. To show progression of change from the Baseline Architecture to the Target Architecture

Answer: B