Exam Number/Code: ZF-100-500

Exam Name: Zend Framework

Certification

Version: Demo

http://cert24.com/

QUESTION 1

Fill in the blank with the appropriate PHP function. The _____ function is used to replace the current session id with the new session id, and to keep information of the current session.

A. session_regenerate_id()

Answer: A

QUESTION 2

Celina works as a Database Administrator for Tech Mart Inc. The company uses an Oracle database. The database contains a table named Employees. Following is the structure of the table: EmpID NUMBER (5) PRIMARY KEY EmpName VARCHAR2 (35) NOT NULL Salary NUMBER (9, 2) NOT NULL Commission NUMBER (4, 2) ManagerName VARCHAR2 (25) ManagerID NUMBER (5) Celina wants to display the names of employees and their managers, using a self join. Which of the following SQL statements will she use to accomplish this? Each correct answer represents a complete solution. Choose two.

A. SELECT e.EmpName, m.ManagerName
 FROM Employees e, Employeesm
 WHERE e.EmpID = m.ManagerID;

- B. SELECT e.EmpName, m.ManagerName
 FROM Employees e INNER JOIN Employeesm
 ON e.EmpID = m.ManagerID;
- C. SELECT e.EmpName, m.ManagerNameFROM Employees e LEFT OUTER JOIN Employees mON e.EmpID = m.ManagerID;
- D. SELECT e.EmpName, m.Ma nagerNameFROM Employees e SELF JOIN EmployeesmON e.EmpID = m.ManagerID;

Answer: AB

Answer: At

QUESTION 3

Which of the following actions may fail if you have exceeded your quota limit?

A. addTo()

B. send()

- C. addBcc()
- D. appendMessage()

Answer: D

QUESTION 4

Which of the following code snippets will you use to instantiate Zend_XmlRpc_Server?

- A. \$server = Zend_Xml::Zend_XmlRpc_Server()
- B. \$server = new Zend Xml();
- C. \$server = new Zend_XmlRpc_Server();
- D. \$server = create_new_Zend_XmlRpc_Server()

Answer: C

QUESTION 5

Write the appropriate word to complete the sentence below. ______is used for logging of multiple backends, formatting messages which are sent to the log, and filtering those messages, which should not be logged.

A. Zend_Log

Answer: A

QUESTION 6

Which of the following is used to crea te a new Memory Manager?

- A. Zend_Memory::factory()
- B. Zend_Memory->NewMemoryManager()
- C. Zend_Memory->factory()
- D. Zend_Memory::NewMemoryManager()

Answer: A

QUESTION 7

You want a formatted date for an RSS feed. Which of the following code syntaxes will you use to accomplish the task?

A. Zend_Date::RSSFEED

B. Zend_Date::RSS

C. \$RSS= new Zend RSS Date()

D. Zend_Date->RSS

Answer: B

QUESTION 8

Fill in the blank with the appropriate method name. The_____ me thod is used to se nd an email in the HTML format.

A. setBodyHTML()

Answer: A

QUESTION 9

Which of the following methods will you use to retain the identity across requests according to the PHP session configuration?

A. isValid()

B. getIdentity()

C. Zend_Auth::authenticate()

D. getCode()

Answer: C

QUESTION 21

Which of the following methods are used by Zend Controller Action Helper Abstract? Each correct answer represents a complete s olution. Choose all that apply.

A. init()

B. preDispatch()

C. setActionController()

D. getResponseld()

Answer: ABC

QUESTION 11

Which of the following methods in Zend_Controller_Action can be used for resetting the state when multiple controllers use the same helper in the chained actions?

A. preDispatch()

B. setActionController()

C. postDispatch()

D. init()

Answer: D

QUESTION 12

You want to retrieve all the data from any given table. You also want to ensure that no duplicate values are displayed. Which of the following SQL statements will you use to accomplish the task?

A. SELECT...TOP

B. SELECT...WHERE

C. SELECT...DISTINCT

D. SELECT...ALL

Answer: C

QUESTION 13

Consider the following code segment:

- 1. <?php
- require_once 'Zend/Mail.php';
- 3. ???????????????????????
- 4. \$mail->setBodyText('This is the test email.');
- 5. \$mail->setFrom('somebody@example.com', 'Send er');
- 6. \$mail->addTo('somebody_else@example.com', 'Recipient');
- 7. \$mail->setSubject('TestSubject');
- 8. \$mail->send();
- 9. ?>

Which of the following code snippets will you use at line number 3 to initiate Zend Mail?

- A. \$mail = new Zend Mail();
- B. \$mail => initialize_Zend_Mail();
- C. \$mail -> Zend_Mail();
- D. \$mail => Zend Mail();

Answer: A

QUESTION 14

Which of the following functions sets up start and end element handlers?

A. xml_parse_into_struct()

B. xml_parser_create_ns()

C. xml_set_object()

D. xml_set_element_handler()

Answer: D

QUESTION 15

Which of the following functions can be used as a countermeasure to a Shell Injection attack? Each correct answer represents a complete solution. Choose all that apply.

A. mysql_real_escape_string()

B. escapeshellcmd()

C. regenerateid()

D. escapeshellarg()

Answer: BD

QUESTION 16

You have a table created as follows:

create table foo (c1 int, c2 char(30), c3 int, c4 char(10)) If column c1 is unique, which of the following indexes would optimize the statement given below? Select distinct (c1), c3 from foo where c1=10

A. create unique index foox on foo (c1) include (c3)

B. create index foox on foo (c1)

- C. create index foox on foo (c1,c3)
- D. create unique index foox on foo (c1,c3)

Answer: A

QUESTION 17

You want to set the form method in post and action to / uc/zend.php when you are using the Zend_Form class. Which of the following code snippets will you use to accomplish the task?

```
A. <?php
$form->setAction('/uc/zend.php')
->setMethod('post');
B. <?php
echo "<form action=\"/uc/zend.php \" method=POST>";
C. <?php
$form->('/uc/zend.php')
->('post');
D. <?php
$form->Zend::setAction('/uc/zend.php')
->Zend::setMethod('post');
```

Answer: A

QUESTION 18

In which of the following situations will you use the set_exception_handler() function?

- A. When you want to restore a previously defined exception handler function.
- B. When the try/catch block is unable to catch an exception.
- C. When you want to set a user -defined function to handle errors.
- D. When you want to generate a user -level error/warning/notice message.

Answer: B

QUESTION 19

Which of the following code snippets will you use if you want to connect to a Pop3 server using TLS?

```
A. <?php
   $mail = new Zend Mail Storage Pop3(array('host'
   ='example.com', 'user' ='user_name',
   'protocol_used' = 'tls')); ?>
B. <?php
   $mail = new Zend_Mail_Storag e_Pop3(array('host'
   ='example.com', 'user' ='user_name',
   'connectTo' = 'tls')); ?>
C. <?php
   $mail = new Zend_Mail_Storage_Pop3(array('host'
   ='example.com', 'user' ='user_name',
   'ssl' = 'tls')); ?>
D. <?php
   $mail = new Zend_Mail_Storage_Pop3(array('host'
   ='example.com', 'user' ='user_name',
   'protocol_used' = 'ssl/tls')); ?>
```

Answer: C

QUESTION 20

Which of the following are the configuration files that are used in Zend_Config?

- A. Zend_Config_Server
- B. Zend_Config_Xml
- C. Zend_Config_Db
- D. Zend_Config_Ini

Answer: BD